

## Wattstopper EoS Notification: Outdoor Wireless SKU's

**End-of-Sale (EoS) Notification Date: March 25, 2021**

To: Wattstopper customers and distributor partners:

Effective immediately, Wattstopper is publicly announcing the end of sale of the following Outdoor Wireless SKU's.

The last day to order all affected products is **March 15, 2021**. After said date, customers will no longer be able to order the following products. The last day to quote these products will be February 5, 2021.

Please refer to the included table for additional information:

- Table 1: Complete list of product part numbers being discontinued.

Our intent is to support the following SKU's for a limited time in order to allow for future planning for any of our customers. Any of the following products ordered before **March 15, 2021** will have standard warranty support.

We appreciate your support and look forward to your continued business in 2021.

For any questions please contact your Wattstopper sales associate.  
Regards,

Christian Groom  
Product Line Manager  
Legrand, Wattstopper

-Additional Information Below -

**Table 1: End of Sale Products and Descriptions**

Catalog #	Description
21-1085-A	RPSMA to N-Female Bulkhead, 12
21-1067-A	N-Male to N-Male, 6in
21-1080-A	RPSMA to N-Male, 12""
21-1314-A	FME to N-Female, 12""
21-1065-A	RPSMA to RPSMA Bulkhead, 8""
CA-NMNMH015	LMR 600, N-Male to N-Male, 15ft
CA3N030	LMR 600, N-Male to N-Male, 30ft
CA3N050	LMR 600, N-Male to N-Male, 50ft
TRA24003NP	3dB, Low Profile 2.4GHz Antenna
TRA9023NP	3dB, Low Profile 900MHz Antenna
FG9023	3dB Base, Omni-Directional Antenna, 900 MHz (requires FM2)
FG9026	6dB Base, Omni-Directional Antenna, 900 MHz (requires FM2)
FM2 MOUNT	Mounting hardware for Omni-Directional Antenna
OD24-9	9dBi Omni Directional Base Antenna, 2.4GHz
ARC-PA2419B01	19dBi Flat Panel Antenna, 2.4GHz
ABY9	11dBi Yagi Antenna, 900 MHz
ACY 15-L	15dBi Yagi Antenna, 900 MHz
P8AX09-N/MF	Coax Surge Suppressor, In-Line
AW140	AES 256, FIPS 140.2 Security Module
11-1035-A	3 DB Rubber Duck Antenna
LMSM-3E-CR	Segment manager for use with wireless networks
LMSM-6E-CR	Segment manager for use with wireless networks
LMSM-3E-CR-SW	LMSM-3E NIAGARA CORE
W-DR-MSTP-AX	JACE Driver - DR-MSTP-AX
W-DR-BACNET-AX	JACE Driver - DR-BACNET-AXClient
W-DR-MDB-RTU-AX	JACE Driver - DR-MDB-RTU-AXSlave
W-DR-MDB-TCP-AX	JACE Driver - DR-MDB-TCP-AXSlave
W-DR-LON-AX	JACE DRIVER - DR-LON-AX
NPB-PWR	JACE Power Supply - Din Rail
NPB-LON	Echelon Card for JACE
NPB-PWR-UN	JACE Power Supply - Din Rail90-263 Volts 50/60 Hz
JN5139-T01-M/C14T	JN5139 Jennic/NXP Radios
JN5148-T01-M/04T	JN5148 Jennic/NXP Radios
T-WB-AX	Standalone copy of WorkBenchAX
T-S-AX-3	Small building AX Supervisor for Windows, limit 3 JACEs
T-S-AX-100	AX Supervisor for Windows, limit 100 JACEs
T-S-AX-UNL	Large System AX Supervisor for Windows, Unlimited JACEs
W-DR-BAC-SR-AX	BACNetÂ® Server and ClientBundle. (Includes BACNetÂ® IP

Catalog #	Description
W-DR-BAC-SR-EXP-AX	BACNet <sup>®</sup> Server Only (Must order BACNet <sup>®</sup> Client Driver
W-DR-ILON-AX	LON <sup>®</sup> over IP
W-DR-MDB-S-AX	Modbus RTU Slave, serves JACE data to Modbus Master
W-DR-MDB-TS-AX	Modbus TCP Slave, serves JACE data to Modbus Master
NPM-256	JACE 3E/6/6E Memory Expansion
WB-AX-WEB	JACE Embedded Workbench AXX
WPM-US	Wall Adaptor (US), 90-240 VAC wall plug
NPB-232	RS 232 Option Card
NPB-2X-485	Dual Port RS485 Option Card
225CWS	M2M Platform, Indoor, 6LoWPANWiFi, CDMA 1000 Pt.
254CWS	M2M Platform, DIN mount,6LoWPAN WiFi, CDMA 2000 Pt.
254GWS	M2M Platform, DIN mount,6LoWPAN WiFi, GSM 2000 Pt..
301126	Cell antenna w/12 ft cable and magnetic mount.
ISS-BASE	InferStack Server Base License500
ISS-1K	InferStack Server Base License1000
ISS-2K	InferStack Server Base License2000
ISS-10K	InferStack Server Base License10000
ISS-50K	InferStack Server Base License50000
ISS-100K	InferStack Server Base License100000
ISS-500K	InferStack Server Base License500000
ISS-1M	InferStack Server Base License1000000
JL-240TXA-1412-7P	ANSI C136.41 Receptacle 7wire, with 1/2" MPT
225CWS-SW-KIT	ASSY KIT FOR 225CWS SOFTWARE
225CWS-HW-KIT	ASSY KIT FOR 225CWS HARDWARE
NWTL-111-1P-V2	Wireless Control Node, Sensor Input, Single Phase
NWTL-111-2P-V2	Wireless Control Node, Sensor Input, Dual Phase
NWTL-211-1P-HW	Wireless Control Node, 1Phase, OEM Hardware Only
NWTL-211-2P-HW	Wireless Control Node, 2Phase, OEM Hardware Only
ARC-900	Standalone Panel Antenna 900-928 GHz 12.5dBi

\*Wattstopper intends to fulfil orders up to the End-of-Sale date. In the event of product shortage, Wattstopper will work with customers to determine alternative solutions.